


Bauvorhaben: Neubau Feuerwehrrgerätehaus, Große Wiese, 37351 Kreuzebra




Stabstahlbiegelist

Pos	Anz	Ø [mm]	Länge [m]	Total- Länge [m]	Gewicht [kg]	Außenmaße und Radien in m, cm Abbiegungen nach DIN EN 1992-1-1	D [mm]	Bemerkungen	Betonstahl- sorte
1	1	12	1400.00	1400.00	1243.20			lfdm	B500B
2	441	12	1.00	441.00	391.61		Allgemein: 48		B500B
3	84	8	1.53	128.94	50.93		Allgemein: 32		B500B
4	20	20	2.50	50.00	123.50		Allgemein: 140		B500B
5	18	14	2.50	45.00	54.45		Allgemein: 56		B500B
Gesamtgewicht [kg]					1863.69				




Mattenschneideliste


26 * Q257A




5 * Q257A




1 * Q257A




2 * Q257A




1 * Q257A




1 * Q257A




1 * Q257A




1 * Q257A




1 * Q257A




1 * Q257A




1 * Q257A




1 * Q257A



1 * Q257A



1 * Q257A




1 * Q257A





Mattenschneideliste











1 * Q257A



Anzahl	Typ	Gew. Brutto [kg]	Gew. Netto [kg]
46	Q257A	2612.80	2481.98
46	<= Summe =>	2612.80	2481.98



Mattenbiegeliste

Pos	Anz	Mattentyp	Breite [m]	Länge [m]	Gewicht [kg]	Außenmaße und Radien in m, cm Abbiegungen nach DIN EN 1992-1-1	D [mm]	Bemerkungen	Betonstahl- sorte
1	40	Q257A	2.30	2.90	1098.13		Allgemein: 28		B500A
2	2	Q257A	2.13	2.90	50.82		Allgemein: 28		B500A
3	2	Q257A	1.83	2.90	43.62		Allgemein: 28		B500A
4	27	Q257A	2.30	3.08	787.25		Allgemein: 28		B500A
5	2	Q257A	0.58	3.08	14.69		Allgemein: 28		B500A
6	2	Q257A	0.29	3.08	7.30		Allgemein: 28		B500A
7	1	Q257A	2.09	2.90	24.92		Allgemein: 28		B500A
8	2	Q257A	0.14	2.90	3.31		Allgemein: 28		B500A
9	1	Q257A	1.09	2.90	13.07		Allgemein: 28		B500A
10	1	Q257A	0.68	2.90	8.17		Allgemein: 28		B500A

Mattenbiegeliste

Pos	Anz	Mattentyp	Breite [m]	Länge [m]	Gewicht [kg]	Außenmaße und Radien in m, cm Abbiegungen nach DIN EN 1992-1-1	D [mm]	Bemerkungen	Betonstahl- sorte
11	1	Q257A	2.11	2.90	25.20		Allgemein: 28		B500A
12	1	Q257A	0.77	2.90	9.24		Allgemein: 28		B500A
13	1	Q257A	0.90	3.08	11.45		Allgemein: 28		B500A
14	1	Q257A	2.08	3.08	26.39		Allgemein: 28		B500A
15	1	Q257A	1.53	2.90	18.30		Allgemein: 28		B500A
16	1	Q257A	0.35	3.08	4.48		Allgemein: 28		B500A
17	1	Q257A	0.45	3.08	5.74		Allgemein: 28		B500A
18	1	Q257A	0.57	3.08	7.20		Allgemein: 28		B500A
19	1	Q257A	0.30	3.08	3.78		Allgemein: 28		B500A
20	4	Q257A	2.30	2.58	97.70		Allgemein: 28		B500A

Mattenbiegeliste

Pos	Anz	Mattentyp	Breite [m]	Länge [m]	Gewicht [kg]	Außenmaße und Radien in m, cm Abbiegungen nach DIN EN 1992-1-1	D [mm]	Bemerkungen	Betonstahl- sorte
21	3	Q257A	1.63	2.58	52.02		Allgemein: 28		B500A
22	2	Q257A	1.90	1.35	21.15		Allgemein: 28		B500A
23	1	Q257A	0.46	3.08	5.82		Allgemein: 28		B500A
24	1	Q257A	1.92	5.58	44.17		Allgemein: 28		B500A
25	1	Q257A	2.18	3.08	27.61		Allgemein: 28		B500A
26	1	Q257A	1.97	2.58	20.95		Allgemein: 28		B500A
27	1	Q257A	1.85	2.58	19.68		Allgemein: 28		B500A
28	1	Q257A	1.18	2.90	14.14		Allgemein: 28		B500A
29	1	Q257A	1.59	2.40	15.69		Allgemein: 28		B500A
Gesamtgewicht [kg]					2481.98				